ELSEVIER

Journal of Organometallic Chemistry 487 (1995) C32–C33

Journal of Organometallic Chemistry

Author Index of Volume 487

Adam, W., 273
Akiyama, T., C8
Aoki, K., C8
Artamkina, G.A., 163
Ashworth, A., 257
Astley, D.K., 253
Astley, S.T., 253
Atwood, J.L., 7

Barta, N.S., 47
Batheja, R., 173
Beckett, M.A., 209
Bégué, J.P., C15
Beletskaya, I.P., 163
Belot, J.A., 95
Bernier, S., 201
Bertozzi, S., 41
Bitterwolf, T.E., 119
Bodige, S., 1
Boni, G., 105
Bonnet-Delpon, D., C15
Boss, K., 151
Bott, S.G., 7
Böttcher, H.-C., C1
Butin, K.P., 163

Campigli, N., 41
Capon, J.F., 201
Chen, Y.-X., 29
Chien, J.C.W., 29
Cho, C.S., 55
Clément, J.-C., 131
Cloke, F.G.N., C21
Corbelin, S., C5
Cowley, A.H., C5
Cox, M.G., 151
Cross, R.J., 227
Cunico, R.F., 89
Cunningham, D., 151

Davidson, M.G., 139
Des Abbayes, H., 131
Dhingra, S.K., 173
Dohmeier, C., 127
Dong, T.-Y., 77
Dörr, A., 17
Dreos-Garlatti, R., C24
Duffy, N.W., 111

Edelmann, F.T., C18
Ernst, R.D., 263
Esteruelas, M.A., 143

Flower, K.R., C21

Gabbaï, F.P., C5
Gangnus, B., 235
Geremia, S., C24
Gruselle, M., C15
Guennec, N., 177

Hampel, F., 139
Handel, H., 131
Hänssgen, D., 17
Harrison, P.G., 257
Hartung, H., C1
Hassler, K., 223
Hens, H., 17
Hubbard, J.L., 65
Hubler, T.L., 119
Hudson, S., 167

Jääskeläinen, S., 197
Jacob, K., C18
Jeske, R., 17
Jones, C., C21
Junk, P.C., 7

Kabalka, G.W., 35
Kaganovich, V.S., 215
Kajitani, M., C8
Keister, J.W., 23
Kennedy, A.R., 227
Kergoat, R., 201
Kerzina, Z.A., 215
Ketkov, S.Yu., 263
Kirk, B.A., 47
Knausz, D., 267
Kolehmainen, E., 215
Köll, W., 223
Kondratenko, M.A., C15
Köppe, R., 127
Korvola, J., 215
Krug, A., C1
Kuan, C.P., 89
Kukhareva, I.I., 163

Labbé, E., 61
Lagow, R.J., C5
Laihia, K., 215
Lambert, C., 139
Lazzaroni, R., 41
Le Berre-Cosquer, N., 201
Le Bris, N., 131
Lee, S.-H., 77
Lentz, A., 245
L'Haridon, P., 201

Magdesieva, T.V., 163
Malézieux, B., C15
Manning, A.R., 151
Matos, R.M., C21
May, M.T., 7
McArdle, P.A., 151
McCabe, A., 151
McGinnis, M.B., 35
Merwin, R.K., 69
Minton, P.R., 209
Moinet, C., 177
Moïse, C., 105
Muir, K.W., 227
Müller, P., 235

Nédélec, J.Y., 61
Ni, L.M., 95
Nixon, J.F., C21

Olbrich, F., C5
Oliván, M., 143
Oro, L.A., 143
Oudet, P., 105

Pagni, R.M., 35
Pakkanen, T.A., 197
Paratian, J.M., 61
Parsons, E.J., 23
Périchon, J., 61
Pfitzner, A., 187
Pichon, R., 201
Porter, L.C., 1
Pritzkow, H., 235
Pursiainen, J., 197

Randaccio, L., C24
Rausch, M.D., 29
Robinson, B.H., 111

ELSEVIER

Journal of Organometallic Chemistry 487 (1995) C32–C33

Journal of Organometallic Chemistry

Author Index of Volume 487

Adam, W., 273
Akiyama, T., C8
Aoki, K., C8
Artamkina, G.A., 163
Ashworth, A., 257
Astley, D.K., 253
Astley, S.T., 253
Atwood, J.L., 7

Barta, N.S., 47
Batheja, R., 173
Beckett, M.A., 209
Bégué, J.P., C15
Beletskaya, I.P., 163
Belot, J.A., 95
Bernier, S., 201
Bertozzi, S., 41
Bitterwolf, T.E., 119
Bodige, S., 1
Boni, G., 105
Bonnet-Delpon, D., C15
Boss, K., 151
Bott, S.G., 7
Böttcher, H.-C., C1
Butin, K.P., 163

Campigli, N., 41
Capon, J.F., 201
Chen, Y.-X., 29
Chien, J.C.W., 29
Cho, C.S., 55
Clément, J.-C., 131
Cloke, F.G.N., C21
Corbelin, S., C5
Cowley, A.H., C5
Cox, M.G., 151
Cross, R.J., 227
Cunico, R.F., 89
Cunningham, D., 151

Davidson, M.G., 139
Des Abbayes, H., 131
Dhingra, S.K., 173
Dohmeier, C., 127
Dong, T.-Y., 77
Dörr, A., 17
Dreos-Garlatti, R., C24
Duffy, N.W., 111

Edelmann, F.T., C18
Ernst, R.D., 263
Esteruelas, M.A., 143

Flower, K.R., C21

Gabbaï, F.P., C5
Gangnus, B., 235
Geremia, S., C24
Gruselle, M., C15
Guennec, N., 177

Hampel, F., 139
Handel, H., 131
Hänssgen, D., 17
Harrison, P.G., 257
Hartung, H., C1
Hassler, K., 223
Hens, H., 17
Hubbard, J.L., 65
Hubler, T.L., 119
Hudson, S., 167

Jääskeläinen, S., 197
Jacob, K., C18
Jeske, R., 17
Jones, C., C21
Junk, P.C., 7

Kabalka, G.W., 35
Kaganovich, V.S., 215
Kajitani, M., C8
Keister, J.W., 23
Kennedy, A.R., 227
Kergoat, R., 201
Kerzina, Z.A., 215
Ketkov, S.Yu., 263
Kirk, B.A., 47
Knausz, D., 267
Kolehmainen, E., 215
Köll, W., 223
Kondratenko, M.A., C15
Köppe, R., 127
Korvola, J., 215
Krug, A., C1
Kuan, C.P., 89
Kukhareva, I.I., 163

Labbé, E., 61
Lagow, R.J., C5
Laihia, K., 215
Lambert, C., 139
Lazzaroni, R., 41
Le Berre-Cosquer, N., 201
Le Bris, N., 131
Lee, S.-H., 77
Lentz, A., 245
L'Haridon, P., 201

Magdesieva, T.V., 163
Malézieux, B., C15
Manning, A.R., 151
Matos, R.M., C21
May, M.T., 7
McArdle, P.A., 151
McCabe, A., 151
McGinnis, M.B., 35
Merwin, R.K., 69
Minton, P.R., 209
Moinet, C., 177
Moïse, C., 105
Muir, K.W., 227
Müller, P., 235

Nédélec, J.Y., 61
Ni, L.M., 95
Nixon, J.F., C21

Olbrich, F., C5
Oliván, M., 143
Oro, L.A., 143
Oudet, P., 105

Pagni, R.M., 35
Pakkanen, T.A., 197
Paratian, J.M., 61
Parsons, E.J., 23
Périchon, J., 61
Pfitzner, A., 187
Pichon, R., 201
Porter, L.C., 1
Pritzkow, H., 235
Pursiainen, J., 197

Randaccio, L., C24
Rausch, M.D., 29
Robinson, B.H., 111

Robl, C., 127
Roddick, D.M., 69
Ruffini, S., C24
Rybinskaya, M.I., 215

Salvadori, P., 41
Schäfer, M., C18
Schnöckel, H., 127
Schuhmann, R.M., 273
Schulz, H., 235
Schumann, H., 245
Seeley, A.J., 167
Sheldrick, G.M., C18
Sibille, S., 61
Siebert, W., 235
Simpson, J., 111
Singh, A.K., 173
Snaith, R., 139
Sohár, P., 267
Soye, P., 151
Steiner, A., C18
Stephan, M., 235
Stille, J.R., 47
Stokes, H.L., 95
Suetsugu, T., C8
Sugimori, A., C8
Sweigart, D.A., 111
Sykes, P.D., 167
Szakács, L., 267
Szalay, R., 267

Takagi, T., C8
Tauzher, G., C24
Timms, P.L., 167
Tolosa, J.I., 143
Trakarnpruk, W., 263

Uemura, S., 55
Újszászy, K., 267

Vitulli, G., 41
Von Ragé Schleyer, P., 139

Wade, S.C., 151
Weimann, R., 245
Weise, W.B., 167
Welker, M.E., 95
Westerhausen, M., 187
Williard, P.G., 111
Willis, D.A., 35
Woo, K., 111

Yamazaki, H., C8
Yaouanc, J.-J., 131
Yoshimori, Y., 55

Zoch, C.R., 65

ELSEVIER

Journal of Organometallic Chemistry 487 (1995) C34–C42

Journal of Organometallic Chemistry

Subject Index of Volume 487

Ab initio
Kristallstruktur von [Cp*BBr][AlBr$_4$] (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127
Acetylenes
Hydrosilylation of phenylacetylene catalyzed by [Ir(COD)(η^2-^{i}Pr$_2$PCH$_2$CH$_2$OMe)][BF$_4$] (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143
Acetylide
New synthesis of μ-allenylidene complexes from dimolybdenum carbenium ions crystal structure of [{Mo(η^5-C$_5$H$_5$)(CO)$_2$}$_2$-(μ,η^2-C=C=C$_6$H$_{10}$)] (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201
Acyl
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
Alkoxide
Synthesis and characterization of bifunctional *trans*-(Ph$_3$P)$_2$Pt-(CO$_2$Me)(X) complexes (R.K. Merwin and D.M. Roddick), 69
The first solid-state structure of a mixed-anion ROLi/LiOH compound: (^{t}BuOLi)$_{10}$ · (LiOH)$_6$ (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139
Alkyl
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23
Alkylpalladate
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23
Alkyne
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8
Alkynyl complexes
Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95
Allene
A preparation of *N*,*N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89
Allenylidene cpxs
New synthesis of μ-allenylidene complexes from dimolybdenum carbenium ions crystal structure of [{Mo(η^5-C$_5$H$_5$)(CO)$_2$}$_2$-(μ,η^2-C=C=C$_6$H$_{10}$)] (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201
Allyl
Formation and reactivity of the chloromethyl π-allyl complex (η^5-C$_5$Me$_5$)Ru(η^3-C$_3$H$_5$)(CH$_2$Cl)Cl (J.L. Hubbard and C.R. Zoch), 65
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
Allyl complexes
Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95
Alumina
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35
Aluminium
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47
Amine
A preparation of *N*,*N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89
α-olefin
(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29
Aquo complexes
The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex, [(Cp)IrCl(H$_2$O)$_2$][PF$_6$] (S. Bodige and L.C. Porter), 1
Arenechromiumtricarbonyl
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
Arene complexes
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 −) (D.K. Astley and S.T. Astley), 253
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
Arenes
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction inter-

mediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167

Arsanide
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187

Aryls
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow), C5

Azides
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow), C5

η^6-Azobenzene
Préparation de cations η^5-cyclopentadiényl-η^6-azobenzènes fer-(1 +) (N. Guennec et C. Moinet), 177

Beta-elimination
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23

Binuclear complex
Preparation, isolation and chemical reactivity of the α-CF_3-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15

Binuclear species
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)-alkanes $R_2P(CH_2)_nPR_2$ (R = Ph, n = 1, 2 or 3; R = Me, n = 1 or 2): synthesis of bimetallic dibridged complexes $[Cp_2M(\mu\text{-}H)(\mu\text{-diphosphine})M'(CO)_4]$ (M = Nb or Ta; M' = Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105

Bis(trimethylsilyl)arsanide
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187

Bis(trimethylsilyl)phosphanide
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187

Bond activation
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with $[(\eta^5\text{-}C_5H_5)Fe(CO)_2]^-$ and $[(\eta^5\text{-}C_5H_5)W(CO)_3]^-$-anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163

Boron
Kristallstruktur von $[Cp^*BBr][AlBr_4]$ (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127
Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes, $Ar_2B_2S_3$ (Ar = Ph, 2-MeC_6H_4, 3-MeC_6H_4, 4-MeC_6H_4, 4-EtC_6H_4, 3,5-$Me_2C_6H_3$), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35

Boronic acids
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35

Borthiins
Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes, $Ar_2B_2S_3$ (Ar = Ph, 2-MeC_6H_4, 3-MeC_6H_4, 4-MeC_6H_4, 4-EtC_6H_4, 3,5-$Me_2C_6H_3$), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209

Bromide
Kristallstruktur von $[Cp^*BBr][AlBr_4]$ (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127

Bromine
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35

Bromobenzene
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167

Cadmium
Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61

Carbamate
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267

Carbanions
A preparation of *N*,*N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89

Carbonyl
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 −) (D.K. Astley and S.T. Astley), 253
Preparation, fluxionality and some reactions of ring-linked $[Fe_2(\eta,\eta\text{-}C_5H_4\text{-}A\text{-}B\text{-}C_5H_4)(CO)_{4-n}(CNMe)_n]$ complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151
Synthesis and characterization of bifunctional *trans*-$(Ph_3P)_2Pt(CO_2Me)(X)$ complexes (R.K. Merwin and D.M. Roddick), 69
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu\text{-}SEt)_8$ (S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen), 197
X-ray crystal structure of $[FeRh(CO)_6(\mu\text{-}P^tBu_2)]$(Fe–Rh): a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

Catalysis
Hydrosilylation of phenylacetylene catalyzed by $[Ir(COD)(\eta^2\text{-}^iPr_2PCH_2CH_2OMe)][BF_4]$ (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41

Chain transfer
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

Chelate Conformation
Palladium(II) and platinum(II) complexes formed from C_6H_4-1,3-$(CH_2PCy_2)_2$ (Cy = Cyclohexyl); crystal and molecular structures of $[PdX\{C_6H_3$-2,6-$(CH_2PCy_2)_2\}]$, X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227
Chirality
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
Chiral separation
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
Chloromethyl
Formation and reactivity of the chloromethyl π-allyl complex $(\eta^5$-$C_5Me_5)Ru(\eta^3$-$C_3H_5)(CH_2Cl)Cl$ (J.L. Hubbard and C.R. Zoch), 65
Chromium
Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of $[K^+ \cdot$ 18-crown-6$][Cr(CO)_5Cl]$, $[H_3O^+ \cdot$ 18-crown-6$][W(CO)_5Cl]$, $[H_3O^+ \cdot$ 18-crown-6$][W(CO)_4Cl_3]$, and $[H_2O \cdot$ bis-*aza*-18-crown-6 $\cdot (H^+)_2][W(CO)_4Cl_3]_2$ (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7
Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131
Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and ^1H, ^{13}C, ^{17}O and ^{29}Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167
cis-influence
Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh^{III} complex containing bis(salicylaldehyde)ethylendiiminate as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tauzher), C24
Clathrates
Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of $[K^+ \cdot$ 18-crown-6$][Cr(CO)_5Cl]$, $[H_3O^+ \cdot$ 18-crown-6$][W(CO)_5Cl]$, $[H_3O^+ \cdot$ 18-crown-6$][W(CO)_4Cl_3]$, and $[H_2O \cdot$ bis-*aza*-18-crown-6 $\cdot (H^+)_2][W(CO)_4Cl_3]_2$ (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7
Clusters
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu$-$SEt)_8$ (S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen), 197
Cobalt
Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and ^1H, ^{13}C, ^{17}O and ^{29}Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215
Preparation, isolation and chemical reactivity of the α-CF_3-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15
Conjugated dienes
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41
Crystal structure
Palladium(II) and platinum(II) complexes formed from C_6H_4-1,3-$(CH_2PCy_2)_2$ (Cy = Cyclohexyl); crystal and molecular structures of $[PdX\{C_6H_3$-2,6-$(CH_2PCy_2)_2\}]$, X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187
Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert), 235
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu$-$SEt)_8$ (S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen), 197
Cycloadditions
Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95
Cyclopentadienyl
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8
Kristallstruktur von $[Cp^*BBr][AlBr_4]$ (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127
New synthesis of μ-allenylidene complexes from dimolybdenum carbenium ions crystal structure of $[(Mo(\eta^5$-$C_5H_5)(CO)_2]_2$-$(\mu,\eta^2$-C=C=$C_6H_{10})]$ (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201
Preparation, fluxionality and some reactions of ring-linked $[Fe_2\{\eta,\eta$-C_5H_4-A-B-$C_5H_4\}(CO)_{4-n}(CNMe)_n]$ complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151
η^5-Cyclopentadienyl
Préparation de cations η^5-cyclopentadiényl-η^6-azobenzènes fer-(1 +) (N. Guennec et C. Moinet), 177
Cyclopentenones
Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95
Decomposition
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23
Diacetoxylation
Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

9,10-Diboraanthracene
Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert), 235
Diolefin
Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55
Dioxirane
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
Diphenylcyclopentadiene
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von $Tl(C_5H_3Ph_2)(THF)$ und $Fe(C_5H_3Ph_2)_2$ (H. Schumann, A. Lentz und R. Weimann), 245
Diphosphadistannetanes
Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17
Diphosphines
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)-alkanes $R_2P(CH_2)_nPR_2$ (R = Ph, $n = 1$, 2 or 3; R = Me, $n = 1$ or 2): synthesis of bimetallic dibridged complexes $[Cp_2M(\mu\text{-}H)(\mu\text{-diphosphine})M'(CO)_4]$ (M = Nb or Ta; M' = Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
Dithiadiboretanes
Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes, $Ar_2B_2S_3$ (Ar = Ph, 2-MeC_6H_4, 3-MeC_6H_4, 4-MeC_6H_4, 4-EtC_6H_4, 3,5-$Me_2C_6H_3$), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209

Electrochemical synthesis
Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61
Electrochemistry
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with $[(\eta^5\text{-}C_5H_5)Fe(CO)_2]^-$ and $[(\eta^5\text{-}C_5H_5)W(CO)_3]^-$-anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163
Préparation de cations η^5-cyclopentadiényl-η^6-azobenzènes fer-(1 +) (N. Guennec et C. Moinet), 177
Electrophylic reactivity
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111
Epoxidation
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273

Ferrocene
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex $Li[Cp_2Y(FcN)_2]$ (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelmann), C18
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
Ferrocenium
The effects of an interannular bridge on the electronic structure of ferrocenium cations (T.-Y. Dong and S.-H. Lee), 77
Fluxionality
Preparation, fluxionality and some reactions of ring-linked $[Fe_2(\eta,\eta\text{-}C_5H_4\text{-}A\text{-}B\text{-}C_5H_4)(CO)_{4-n}(CNMe)_n]$ complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151
Synthesis, characterisation and fluxional behaviour of $[Ni(\eta^5\text{-}P_2C_3Bu^t_3)(\eta^3\text{-}P_2C_3Bu^t_3)]$ (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21

Gallium
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow), C5
Group B
Kristallstruktur von $[Cp^*BBr][AlBr_4]$ (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127

Halogenated disilanes
Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluordisilan (K. Hassler und W. Köll), 223
Heterotrimetallic complex
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex $Li[Cp_2Y(FcN)_2]$ (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelmann), C18
Hexafluorobenzene
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167
High pressure liquid chromatography
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
Homogeneous polymerization
(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29
Hydrides
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)-alkanes $R_2P(CH_2)_nPR_2$ (R = Ph, $n = 1$, 2 or 3; R = Me, $n = 1$ or 2): synthesis of bimetallic dibridged complexes $[Cp_2M(\mu\text{-}H)(\mu\text{-diphosphine})M'(CO)_4]$ (M = Nb or Ta; M' = Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
Hydroformylation
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41
Hydrosilation
Hydrosilylation of phenylacetylene catalyzed by $[Ir(COD)(\eta^2\text{-}^iPr_2PCH_2CH_2OMe)][BF_4]$ (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143
Hydroxide
Synthesis and characterization of bifunctional *trans*-$(Ph_3P)_2Pt(CO_2Me)(X)$ complexes (R.K. Merwin and D.M. Roddick), 69
The first solid-state structure of a mixed-anion ROLi/LiOH compound: $(^tBuOLi)_{10}\cdot(LiOH)_6$ (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139

Imide
N-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II) (R. Batheja, S.K. Dhingra and A.K. Singh), 173
Indium
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von Tl($C_5H_3Ph_2$)(THF) und Fe($C_5H_3Ph_2$)$_2$ (H. Schumann, A. Lentz und R. Weimann), 245
Infrared
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257
Infrared spectroscopy
Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and ^{1}H, ^{13}C, ^{17}O and ^{29}Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215
Iodine
Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55
Iridium
Hydrosilylation of phenylacetylene catalyzed by [Ir(COD)(η^2-^{i}Pr$_2$PCH$_2$CH$_2$OMe)][BF_4] (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143
Iridium derivatives
The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex, [(Cp)IrCl(H_2O)$_2$][PF_6] (S. Bodige and L.C. Porter), 1
Iron
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von Tl($C_5H_3Ph_2$)(THF) und Fe($C_5H_3Ph_2$)$_2$ (H. Schumann, A. Lentz und R. Weimann), 245
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with [(η^5-C_5H_5)Fe($CO)_2$]$^-$ and [(η^5-C_5H_5)W($CO)_3$]$^-$-anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163
Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263
Préparation de cations η^5-cyclopentadiényl-η^6-azobenzènes fer-(1 +) (N. Guennec et C. Moinet), 177
Preparation, fluxionality and some reactions of ring-linked [Fe_2(η,η-C_5H_4-A-B-C_5H_4)($CO)_{4-n}$($CNMe)_n$] complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151
Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
X-ray crystal structure of [FeRh($CO)_6$(μ-P^{t}Bu$_2$)](Fe–Rh): a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1
Iron metallocene
The effects of an interannular bridge on the electronic structure of ferrocenium cations (T.-Y. Dong and S.-H. Lee), 77
Isocyanide
Preparation, fluxionality and some reactions of ring-linked [Fe_2(η,η-C_5H_4-A-B-C_5H_4)($CO)_{4-n}$($CNMe)_n$] complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151
Isospecific polymerization
(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29

Ketenes
Reactions of transition-metal η^1-allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal–carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95
Kinetics
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267

Lithium
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex Li[Cp_2Y($FcN)_2$] (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelmann), C18
The first solid-state structure of a mixed-anion ROLi/LiOH compound: (^{t}BuOLi)$_{10}$·($LiOH)_6$ (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139
Lithium halide
Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

Magnesium
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187
Manganese
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 −) (D.K. Astley and S.T. Astley), 253
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111
Mechanism
Hydrosilylation of phenylacetylene catalyzed by [Ir(COD)(η^2-^{i}Pr$_2$PCH$_2$CH$_2$OMe)][BF_4] (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23
Metal carbonyl cations
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 −) (D.K. Astley and S.T. Astley), 253

Metal carbonyls
Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of $[K^+ \cdot 18\text{-crown-}6][Cr(CO)_5Cl]$, $[H_3O^+ \cdot 18\text{-crown-}6][W(CO)_5Cl]$, $[H_3O^+ \cdot 18\text{-crown-}6][W(CO)_4Cl_3]$, and $[H_2O \cdot bis\text{-}aza\text{-}18\text{-crown-}6 \cdot (H^+)_2][W(CO)_4Cl_3]_2$ (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7
Metallacycle
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8
Metallation
Palladium(II) and platinum(II) complexes formed from C_6H_4-1,3-$(CH_2PCy_2)_2$ (Cy = Cyclohexyl); crystal and molecular structures of $[PdX(C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2)]$, X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227
Metallocarboxylates
Synthesis and characterization of bifunctional *trans*-$(Ph_3P)_2Pt(CO_2Me)(X)$ complexes (R.K. Merwin and D.M. Roddick), 69
Metal vapour synthesis
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167
Mixed anion aggregate
The first solid-state structure of a mixed-anion ROLi/LiOH compound: $(^tBuOLi)_{10} \cdot (LiOH)_6$ (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139
Molybdenum
Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131
New synthesis of μ-allenylidene complexes from dimolybdenum carbenium ions crystal structure of $[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu,\eta^2\text{-}C{=}C{=}C_6H_{10})]$ (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201
Preparation, isolation and chemical reactivity of the α-CF_3-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167

Nickel
Synthesis, characterisation and fluxional behaviour of $[Ni(\eta^5\text{-}P_2C_3Bu^t_3)(\eta^3\text{-}P_2C_3Bu^t_3)]$ (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21
Niobium
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)-alkanes $R_2P(CH_2)_nPR_2$ (R = Ph, n = 1, 2 or 3; R = Me, n = 1 or 2): synthesis of bimetallic dibridged complexes $[Cp_2M(\mu\text{-}H)(\mu\text{-diphosphine})M'(CO)_4]$ (M = Nb or Ta; M' = Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
Nitrogen heterocycles
The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex, $[(Cp)IrCl(H_2O)_2][PF_6]$ (S. Bodige and L.C. Porter), 1
NMR spectroscopy
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187
Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluordisilan (K. Hassler und W. Köll), 223
Nuclear magnetic resonance
Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and ^1H, ^{13}C, ^{17}O and ^{29}Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215
Nucleophilic attack
Preparation, isolation and chemical reactivity of the α-CF_3-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15

Olefin insertion
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47
Oligomeric compounds
Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17
Orthometallation
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 −) (D.K. Astley and S.T. Astley), 253
Oxidation
Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

Palladium
N-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II) (R. Batheja, S.K. Dhingra and A.K. Singh), 173
Palladium(II) and platinum(II) complexes formed from C_6H_4-1,3-$(CH_2PCy_2)_2$ (Cy = Cyclohexyl); crystal and molecular structures of $[PdX(C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2)]$, X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23
Pentadienyl complexes
Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263
Pentamethylcyclopentadienyl
The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex, $[(Cp)IrCl(H_2O)_2][PF_6]$ (S. Bodige and L.C. Porter), 1
Phosphanide
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westerhausen und A. Pfitzner), 187
Phosphido-bridged
X-ray crystal structure of $[FeRh(CO)_6(\mu\text{-}P^tBu_2)]$(Fe–Rh): a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

Phosphorus
Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17
Photoabsorption
Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263
Platinum
Palladium(II) and platinum(II) complexes formed from C_6H_4-1,3-$(CH_2PCy_2)_2$ (Cy = Cyclohexyl); crystal and molecular structures of $[PdX\{C_6H_3$-2,6-$(CH_2PCy_2)_2\}]$, X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227
Synthesis and characterization of bifunctional *trans*-$(Ph_3P)_2Pt(CO_2Me)(X)$ complexes (R.K. Merwin and D.M. Roddick), 69
Podocarpic acid
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111
Polyphospholyl ligands
Synthesis, characterisation and fluxional behaviour of $[Ni(\eta^5$-$P_2C_3Bu^t_3)(\eta^3$-$P_2C_3Bu^t_3)]$ (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21
Pyrolysis
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257
Pyrolytic oxidation
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

Rhodium
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8
Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh^{III} complex containing bis(salicylaldehyde)ethylendiiminate as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tauzher), C24
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu$-$SEt)_8$ (S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen), 197
X-ray crystal structure of $[FeRh(CO)_6(\mu$-$P^tBu_2)]$(Fe–Rh): a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1
Rhodium vapour
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41
Ring slippage
Synthesis, characterisation and fluxional behaviour of $[Ni(\eta^5$-$P_2C_3Bu^t_3)(\eta^3$-$P_2C_3Bu^t_3)]$ (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21
Ruthenium
Formation and reactivity of the chloromethyl π-allyl complex $(\eta^5$-$C_5Me_5)Ru(\eta^3$-$C_3H_5)(CH_2Cl)Cl$ (J.L. Hubbard and C.R. Zoch), 65
Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and ^1H, ^{13}C, ^{17}O and ^{29}Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu$-$SEt)_8$ (S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen), 197
Rydberg transitions
Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263

Schiff base
Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh^{III} complex containing bis(salicylaldehyde)ethylendiiminate as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tauzher), C24
Silicon
A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267
Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluordisilan (K. Hassler und W. Köll), 223
Silyl
A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89
Sodium
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von $Tl(C_5H_3Ph_2)(THF)$ und $Fe(C_5H_3Ph_2)_2$ (H. Schumann, A. Lentz und R. Weimann), 245
Solvolysis
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267
Substitution reaction
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35
Sulphur
Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes, $Ar_2B_2S_3$ (Ar = Ph, 2-MeC_6H_4, 3-MeC_6H_4, 4-MeC_6H_4, 4-EtC_6H_4, 3,5-$Me_2C_6H_3$), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209
Synthesis Stannylphosphines, primary
Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17

Tantalum
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)alkanes $R_2P(CH_2)_nPR_2$ (R = Ph, n = 1, 2 or 3; R = Me, n = 1 or 2): synthesis of bimetallic dibridged complexes $[Cp_2M(\mu$-$H)(\mu$-diphosphine$)M'(CO)_4]$ (M = Nb or Ta; M' = Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
Tellurium
Diacetoxylation of nonconjugated dienes with TeO_2 and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55
N-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II) (R. Batheja, S.K. Dhingra and A.K. Singh), 173

Tetraalkylstannanes
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257
Tetraamine complexes
Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131
Thallium
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von $Tl(C_5H_3Ph_2)(THF)$ und $Fe(C_5H_3Ph_2)_2$ (H. Schumann, A. Lentz und R. Weimann), 245
Thermolysis
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257
Thiol
Unusual mixed metal cluster reactions: formation of the mixed metal chain $Rh_2Ru_3(CO)_{10}(\mu\text{-}SEt)_8$ (S. Jääskeläinen, J. Pursiainen and T.A. Pakkanen), 197
Thiolate
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8
Tin
Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17
The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257
Titanium
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47
Transition metal complexes
Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert), 235
Triamine complexes
Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131
Trifluoromethyl compounds
Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61
Trifluoropropargylic alcohol derivative
Preparation, isolation and chemical reactivity of the α-CF_3-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15
Trimethylsilyl
A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89
Trithiadiborolanes
Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes, $Ar_2B_2S_3$ (Ar = Ph, 2-MeC_6H_4, 3-MeC_6H_4, 4-MeC_6H_4, 4-EtC_6H_4, 3,5-$Me_2C_6H_3$), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209
Tungsten
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with $[(\eta^5\text{-}C_5H_5)Fe(CO)_2]^-$ and $[(\eta^5\text{-}C_5H_5)W(CO)_3]^-$-anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163
Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of $[K^+ \cdot 18\text{-crown-}6][Cr(CO)_5Cl]$, $[H_3O^+ \cdot 18\text{-crown-}6][W(CO)_5Cl]$, $[H_3O^+ \cdot 18\text{-crown-}6][W(CO)_4Cl_3]$, and $[H_2O \cdot bis\text{-}aza\text{-}18\text{-crown-}6 \cdot (H^+)_2][W(CO)_4Cl_3]_2$ (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7
Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131

Unsaturated aldehydes
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41

X-ray crystal structure
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow), C5
X-ray diffraction
Formation, Structure, Spectra, and Reactivity of the Adduct between (η^5-Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8
The first solid-state structure of a mixed-anion ROLi/LiOH compound: $(^tBuOLi)_{10} \cdot (LiOH)_6$ (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139
X-ray structure
Kristallstruktur von $[Cp^*BBr][AlBr_4]$ (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex $Li[Cp_2Y(FcN)_2]$ (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelmann), C18
New synthesis of μ-allenylidene complexes from dimolybdenum carbenium ions crystal structure of $[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu,\eta^2\text{-}C{=}C{=}C_6H_{10})]$ (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201
Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh^{III} complex containing bis(salicylaldehyde)ethylendiiminate as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tauzher), C24
X-ray crystal structure of $[FeRh(CO)_6(\mu\text{-}P^tBu_2)]$(Fe–Rh): a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

Yttrium
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex $Li[Cp_2Y(FcN)_2]$ (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelmann), C18

Ziegler–Natta catalysts
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

Zinc
Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61
Zirconocene
(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29
Book Reviews
Catalyzed Direct Reactions of Silicon, K.M. Lewis and D.G. Rethwisch (Eds.) (C. Eaborn)), C27
Concise Encyclopedia Chemistry, H.-D. Jakubke and H. Jeschkest (Eds.) (C. Eaborn)), C28
Phase Transfer Catalysis. Selected Problems and Applications, Y. Goldberg, Gordon and Breach (C. Eaborn)), C27